Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) near (email or e-mail or message) near profile and compar\$5 near (statistic or threshold or max or maximum)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 19:53
L2		@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) with (email or e-mail or message) near profile and compar\$5 with (statistic or threshold or max or maximum)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 19:55
L3	5	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) with (email or e-mail or message) near profile and compar\$5 same (email or e-mail or message) same (statistic or threshold or max or maximum)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 19:55
L4	0	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) with (email or e-mail or message) near profile and compar\$5 same (email or e-mail) same (statistic or threshold or max or maximum)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 19:56
L5	0.	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) with (email or e-mail) near profile and (remov\$3 or recogniz\$3 or filter\$3) with (SPAM or virus)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 19:56
L6	11	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) with (email or e-mail) with profile and (remov\$3 or recogniz\$3 or filter\$3) with (SPAM or virus)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:00
L7	1	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) with (email or e-mail) with profile and (email or e-mail) adj source	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:00
L8	0	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) same (email or e-mail) with profile and (email or e-mail) near source near category	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:01
L9	1	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) same (email or e-mail) with profile and (email or e-mail) with source with category	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:01

				γ	<del></del>	
L11	4	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) with (email or e-mail) with profile and (edu or com or gov or ISP) same (source or category) same (email or e-mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:03
L12	0	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) with (email or e-mail) with profile and (edu and com and gov and ISP) same (source or category) same (email or e-mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:03
L13	0	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) same (email or e-mail) with profile and (edu and com and gov and ISP) same (source or category) same (email or e-mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:03
L14	0	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) same (email or e-mail) same profile and (edu and com and gov and ISP) same (source or category) same (email or e-mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:03
·L15	0	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) same (email or e-mail) same profile and (edu and com and gov and ISP) same (email or e-mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:04
L16	0	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) same (email or e-mail) same profile and (edu and com and ISP) same (email or e-mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:04
L17	0	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) same (email or e-mail) same profile and (edu and com) same (email or e-mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:04
L19	. 3	@ad<"20010625" and (maintain\$3 or creat\$3 or build\$3 or generat\$3) with (email or e-mail) with profile same (edu or com or gov or ISP)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/29 20:04
S1	93	@ad<"20010625" and (identif\$4 with source with (email or e-mail))	US-PGPUB; USPAT; EPO; JPO	OR	ON .	2004/10/28 11:35
S2	51	@ad<"20010625" and (identif\$4 with (sender or source) with (email or e-mail)) and ((compar\$3 or updat\$3) same (quantity or number or statistic\$4) same (email or e-mail))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 11:36

S3	2	@ad<"20010625" and (identif\$4 with (sender or source) with (email or e-mail)) and ((compar\$3 or updat\$3) same (statistic\$4) same (email or e-mail))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 11:39
S4	8	@ad<"20010625" and (identif\$4 with (sender or source) with (email or e-mail)) and filter\$3 with unsolicited with (email or e-mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 11:54
S5	7	@ad<"20010625" and (identif\$4 with (sender or source) with (email or e-mail or spam)) and (register\$3 with (sender or source) with (email or e-mail or spam)) and (compar\$3 or updat\$3 or increment\$3) with (counter or statistic)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:10
S6	6	@ad<"20010625" and (identif\$4 with (sender or source or type) with (email or e-mail or spam or (electronic adj mail))) and register\$3 with ((sender or source) near (email or e-mail or spam)) and (compar\$3 or updat\$3 or increment\$3) same (counter or statistic)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:15
S7	6	@ad<"20010625" and register\$3 with ((sender or source) near (email or e-mail or spam)) and (compar\$3 or updat\$3 or increment\$3) same (counter or statistic)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:14
S8	11	@ad<"20010625" and (identif\$4 with (sender or source or type or domain) with (email or e-mail or spam or (electronic adj mail))) and register\$3 with ((sender or source) near (email or e-mail or spam)) and (compar\$3 or updat\$3 or increment\$3) same (number or counter or statistic)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:16
S9	13	@ad<"20010625" and ((identif\$4 or recogniz\$3 or analyz\$3) with (sender or source or type or domain) with (email or e-mail or spam or (electronic adj mail))) and register\$3 with ((sender or source) near (email or e-mail or spam)) and (compar\$3 or updat\$3 or increment\$3) same (number or counter or statistic)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:26

S10	5	@ad<"20010625" and ((identif\$4 or recogniz\$3 or analyz\$3) same (sender or source or type or domain) near (email or e-mail or spam or (electronic adj mail))) and register\$3 with ((sender or source) near (email or e-mail or spam)) and (compar\$3 or updat\$3 or increment\$3) same (number or counter or statistic) and (avoid\$3 or filter\$3) same (spam or unsolicited)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:30
S11	. 5	@ad<"20010625" and ((identif\$4 or recogniz\$3 or analyz\$3) same (sender or source or type or domain) near (email or e-mail or spam or (electronic adj mail))) and register\$3 with ((sender or source) near (email or e-mail or spam)) and (avoid\$3 or filter\$3) same (spam or unsolicited)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:31
S12	9	@ad<"20010625" and ((identif\$4 or recogniz\$3 or analyz\$3) same (sender or source or type or domain) near (email or e-mail or spam or (electronic adj mail))) and register\$3 with ((sender or source) near (email or e-mail or spam)) and (avoid\$3 or filter\$3) same (spam or unsolicited or email or e-mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:36
S13	171	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 or register\$3) same ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (avoid\$3 or filter\$3) same (spam or unsolicited or email or e-mail or message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:38
S14	124	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 or register\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (avoid\$3 or filter\$3) same (spam or unsolicited or email or e-mail or message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:38

S15	43	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 or register\$3) near ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (avoid\$3 or filter\$3) same (spam or unsolicited or email or e-mail or message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:39
S16		@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 and register\$3) near ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (avoid\$3 or filter\$3) same (spam or unsolicited or email or e-mail or message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:39
S17	30	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 and register\$3) near ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (avoid\$3 or filter\$3) with (spam or unsolicited or email or e-mail or message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:42
S18	1	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (register\$3 and filter\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:44
S19		@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (filter\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (register\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:44

		· · · · · · · · · · · · · · · · · · ·			·,	
S20	41	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (register\$3 or filter\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message)))	US-PGPUB; USPAT; EPO; JPO	OR .	ON	2004/10/28 12:45
S21	11	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (register\$3 or filter\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (updat\$3 or compar\$3 or count\$3 or increment\$3) same (counter or statistic or (number near (message or email or e-mail)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:56
S22	11	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 or extract\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (register\$3 or filter\$3) with ((sender or source or type or domain or identifier) near (email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (updat\$3 or compar\$3 or count\$3 or increment\$3) same (counter or target or statistic or (number near (message or email or e-mail)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 12:58

	1		1		ľ	<del></del>
S23	33	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 or extract\$3) near ((sender or source or type or domain) near (identifier or address or email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (register\$3 or filter\$3) near ((sender or source or type or domain) near (identifier or address or email or e-mail or spam or (electronic adj mail) or (instant adj message))) and (updat\$3 or compar\$3 or count\$3 or increment\$3) same (counter or statistic or (number near ((electronic adj message) or email or e-mail)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:05
S24	11	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 or extract\$3) near (sender or source or domain) near (identifier or address or email or e-mail or spam or (electronic adj mail) or (instant adj message)) and (register\$3 or filter\$3) near (sender or source or domain) near (identifier or address or email or e-mail or spam or (electronic adj mail) or (instant adj message)) and (updat\$3 or compar\$3 or count\$3 or increment\$3) same (counter or statistic or (number near ((electronic adj message) or email or e-mail)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:10
S25	7	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 or extract\$3) near (sender or source or domain) near (address or email or e-mail or spam or (electronic adj mail) or (instant adj message)) and (register\$3 or filter\$3) near (sender or source or domain) near (address or email or e-mail or spam or (electronic adj mail) or (instant adj message)) and (updat\$3 or compar\$3 or count\$3 or increment\$3) same (counter or statistic or (number near ((electronic adj message) or email or e-mail)))	US-PGPUB; USPAT; EPO; JPO	OR .	ON	2004/10/28 13:12

S26	50	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 or extract\$3) with (sender or source or domain) near (address or email or e-mail or spam or (electronic adj mail) or (instant adj message)) and (register\$3 or filter\$3) with (sender or source or domain) near (address or email or e-mail or spam or (electronic adj mail) or (instant adj message)) and (filter\$3 or avoid\$3) same (unsolicited or spam or email or e-mail or message) and (updat\$3 or compar\$3 or increment\$3) with (count\$3 or statistic or (number near (email or e-mail or message)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:19
S27	15	@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 or extract\$3) with (sender or source or domain) near (address or email or e-mail or spam or (electronic adj mail) or (instant adj message)) and (register\$3 or filter\$3) with (sender or source or domain) near (address or email or e-mail or spam or (electronic adj mail) or (instant adj message)) and (filter\$3 or avoid\$3) same (unsolicited or spam or email or e-mail or message) and (updat\$3 or compar\$3 or increment\$3) with (count\$3 or statistic or (number near (email or e-mail or message))) and statistic	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:23
S28		@ad<"20010625" and (identif\$4 or recogniz\$3 or analyz\$3 or extract\$3) with (sender or source or domain) near (email or e-mail or spam or (electronic adj mail) or (instant adj message)) and (register\$3 or filter\$3) with (sender or source or domain) near (email or e-mail or spam or (electronic adj mail) or (instant adj message)) and (filter\$3 or avoid\$3) same (unsolicited or spam or email or e-mail or message) and (updat\$3 or compar\$3 or increment\$3) with (count\$3 or statistic or (number near (email or e-mail or message)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:24
S29	15	@ad<"20010625" and (register\$3 or identif\$4 or recogniz\$3 or extract\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and filter\$3 same unsolicited same (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:49

Γ	<del></del>	<del></del>	T	1	<del></del>	
S30	6	@ad<"20010625" and (register\$3 or identif\$4 or recogniz\$3 or extract\$3 or compar\$3) with (send\$3 or source) with (address or email or e-mail or (electronic adj mail)) and filter\$3 same unsolicited same (email or e-mail or (electronic adj mail)) and inclu\$4 adj (list or database)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:42
S31	12	@ad<"20010625" and (register\$3 or identif\$4 or recogniz\$3 or extract\$3 or compar\$3) with (send\$3 or source) with (address or email or e-mail or (electronic adj mail)) and filter\$3 same unsolicited same (email or e-mail or (electronic adj mail)) and (desir\$3 or inclu\$4) adj (source or send\$3 or list or database)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:45
S32	0	@ad<"20010625" and (register\$3) with (send\$3 or source) with (address or email or e-mail or (electronic adj mail)) and filter\$3 same unsolicited same (email or e-mail or (electronic adj mail)) and (desir\$3 or inclu\$4) adj (source or send\$3 or list or database) and (identif\$4 or recogniz\$3 or extract\$3 or compar\$3) with (send\$3 or source) with (address or email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:47
S33	0	@ad<"20010625" and (register\$3) with (send\$3 or source) with (address or email or e-mail or (electronic adj mail)) and filter\$3 same unsolicited same (email or e-mail or (electronic adj mail)) and (desir\$3 or inclu\$4) adj (source or send\$3 or list or database)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:46
S34	6	@ad<"20010625" and (register\$3) same (send\$3 or source) with (address or email or e-mail or (electronic adj mail)) and filter\$3 same unsolicited same (email or e-mail or (electronic adj mail)) and (desir\$3 or inclu\$4) adj (source or send\$3 or list or database)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:46

S35	1	@ad<"20010625" and (register\$3) same (send\$3 or source) with (address or email or e-mail or (electronic adj mail)) and filter\$3 same unsolicited same (email or e-mail or (electronic adj mail)) and (desir\$3 or inclu\$4) adj (source or send\$3 or list or database) and (identif\$4 or recogniz\$3 or extract\$3 or compar\$3) with (send\$3 or source) with (address or email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:47
S36	0	@ad<"20010625" and (register\$3 or identif\$4 or recogniz\$3 or extract\$3 or regulat\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and filter\$3 same unsolicited same (email or e-mail or (electronic adj mail)) and (source or send\$3) adj profile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:50
S37	14	@ad<"20010625" and (register\$3 or identif\$4 or recogniz\$3 or extract\$3 or regulat\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and (source or send\$3) adj profile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:53
S38	. 8	@ad<"20010625" and (register\$3 or identif\$4 or recogniz\$3 or extract\$3 or regulat\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and (source or send\$3) adj profile and (inclu\$4 or desir\$3) with (source or send\$3) with (list or database)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 13:55
S39	9	@ad<"20010625" and (register\$3 or regulat\$3 or filter\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and (inclu\$4 or desir\$3 or register\$3) with (source or send\$3) with (list or database) and (updat\$3 or compar\$3 or increment\$3) with (counter or (number near (email or e-mail)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 14:02
S40	9	@ad<"20010625" and (register\$3 or regulat\$3 or filter\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and (inclusive or exclusive or desir\$3 or register\$3) with (list or database) and (updat\$3 or compar\$3 or increment\$3) with (counter or (number near (email or e-mail)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 14:03

S41	4	@ad<"20010625" and (register\$3 or regulat\$3 or filter\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and (inclusive or exclusive or desir\$3 or unwanted) with (list or database) and (updat\$3 or compar\$3 or increment\$3) with (counter or (number near (email or e-mail)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 14:08
S42	6	@ad<"20010625" and (register\$3 or regulat\$3 or filter\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and (inclusive or exclusive or desir\$3 or unwanted) with (list or database) and (updat\$3 or compar\$3 or increment\$3) same (counter or (number near (email or e-mail)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/10/28 14:10
S43	7	@ad<"20010625" and (register\$3 or regulat\$3 or filter\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and (inclusive or exclusive or desir\$3 or unwanted) with (list or database) and (updat\$3 or compar\$3 or increment\$3) same (volume or counter or (number near (email or e-mail)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:28
S44	31	@ad<"20010625" and (register\$3 or regulat\$3 or filter\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and (send\$3 or return\$3 or transmi\$6) with (spam or unsolicited or unwanted or undesired or email or e-mail) with (postmaster or administrator or sender or source) and (email or e-mail) with profile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 14:34
S45		@ad<"20010625" and (register\$3 or regulat\$3 or filter\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and (send\$3 or return\$3 or transmi\$6) with (spam or unsolicited or unwanted or undesired or email or e-mail) with (postmaster or administrator or source) and (email or e-mail) with profile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 14:37
S46	1	@ad<"20010625" and (register\$3 or regulat\$3 or filter\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and (send\$3 or return\$3 or transmi\$6) with (spam or unsolicited or unwanted or undesired or email or e-mail) with (postmaster or administrator) and (email or e-mail) with profile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 14:54

S47	14	@ad<"20010625" and (register\$3 or regulat\$3 or filter\$3) with (send\$3 or source) with (email or e-mail or (electronic adj mail)) and (send\$3 or return\$3 or transmi\$6) with (spam or unsolicited or unwanted or undesired or email or e-mail) with (postmaster or administrator)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:12
S48	0	@ad<"20010625" and (filter\$3 or avoid\$3) with (unwanted or unsolicited or undesired or spam) near (instant adj message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:12
S49	0	@ad<"20010625" and (filter\$3 or avoid\$3) with (unwanted or unsolicited or undesired or spam) with (instant adj message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:13
S50	4	@ad<"20010625" and (filter\$3 or avoid\$3) with (instant adj message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:15
S51	22	@ad<"20010625" and (filter\$3 or avoid\$3) same (instant adj message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:15
S52	23	@ad<"20010625" and (extract\$3 or regulat\$3 or filter\$3 or delet\$3) with (instant adj message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:29
S53	11	@ad<"20010625" and (extract\$3 or regulat\$3 or filter\$3 or delet\$3) near (instant adj message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:29
S54	0	@ad<"20010625" and (regulat\$3 or filter\$3 or avoid\$3) near (instant adj message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:29
S55	4	@ad<"20010625" and (regulat\$3 or filter\$3 or avoid\$3) with (instant adj message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:30
S56	22	@ad<"20010625" and (regulat\$3 or filter\$3 or avoid\$3) same (instant adj message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:41
S57	66	@ad<"20010625" and (regulat\$3 or filter\$3 or avoid\$3) with ((unwanted or unsolicited or undesired) near message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:44
S58	8	@ad<"20010625" and (regulat\$3 or filter\$3 or avoid\$3) with ((unwanted or unsolicited or undesired) near message) and (instant or chat) same message	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/11/01 18:48

S59	12	@ad<"20010625" and (regulat\$3 or filter\$3 or avoid\$3 or reduc\$3 or	US-PGPUB; USPAT;	OR	ON	2005/04/29 19:51
		detect\$3 or determin\$3) with ((unwanted or unsolicited or undesired) near message) and (instant or chat) same message	EPO; JPO			